




BRANDVEILIGHEID:

[illegible]

ISOLATIEWAARDEN:

Vloeren:	$R_t \geq 3,7 \text{ m}^2/\text{K/W}$
Gevells:	$R_t \geq 4,7 \text{ m}^2/\text{K/W}$
Daken:	$R_t \geq 6,3 \text{ m}^2/\text{K/W}$
Koepelingen, ramen en deuren:	• maximaal: U-waarde $\leq 2,2 \text{ W/m}^2/\text{K}$ • gemiddeld: U-waarde $\leq 1,65 \text{ W/m}^2/\text{K}$



ZIE TEKENING DO41, DETAILS BINNENBAD
 INSTALLATIE VOLGENS OPGAVE INSTALLATEUR
 CONSTRUCTIE VOLGENS BEREKENING EN TEKENING CONSTRUCTEUR

WDG | ARCHITECTENBUREAU
WILLEM DE GROOT

PROJECT: Paasloo zwembaden
Steenwijkerland

Capfun Vakantiepark de Eikenhof

FASE: Definitief ontwerp

STATUS: DEFINITIEF

BLAD: Plattegronden binnenbad

DATUM: 20-08-2024 GETEKEND:

GENUINITY: 25.02.2025 EDITOR: D

FORMAAT: 1 x 100

SCHOOL:	1:100	FORMAT:	BROWN
FIGURE:	M/2310	AGE:	DO1

PROJECT NR.: W2310 | AU | DOI

CAV John F. Kennedylaan 32
7314 PS Apeldoorn

GAAV 065-542 19 22
info@gavv.ru

www.gary.li